

# BioTuf® 970

## Compostable Film Compound

### Physical Properties (for informational purposes only)

BioTuf 970 is a pelletized mineral-containing compound based on a blend of biodegradable resins, including an aliphatic/aromatic co-polyester.

Property	Typical	Minimum	Maximum
Melt Flow, g/10 min	5.00	2.00	7.00
% Talc	10	9	11
Moisture, ppm	-	0	1700
Film Density, g/cm <sup>3</sup>	1.20	1.10	1.30
Bulk Density, lb/ft <sup>3</sup>	50	N/A	N/A

### Regulatory Status

Testing of 3.0 mil films according to ASTM D 5338 yielded 60% mineralization within 90 days and 90% mineralization within 160 days and will completely degrade in commercial and municipal composting environments in accordance with the requirements of ASTM specification D6400

### Comments

BioTuf 970 is a pelletized mineral-containing compound based on a blend of biodegradable resins, including an aliphatic/aromatic co-polyester. Target applications include bags and liners used for diversion of food and organic waste from landfills to commercial composting facilities.

BioTuf® is a registered trademark of Heritage Plastics, Inc.

Heritage Plastics, Inc.  
1002 Hunt Street  
Picayune, MS 39466 USA

800.245.4623  
Fax 601.798.1946  
[www.heritage-plastics.com](http://www.heritage-plastics.com)

